

## Carbopol<sup>®</sup> Silk 100 Polymer Toxicology Studies

The following tests were performed on polymers with chemical compositions representative of Carbopol<sup>®</sup> Silk 100 polymer. This toxicology data is expected to be predictive of the toxicity of Carbopol Silk 100 polymer.

### Human Repeated Insult Patch Tests

Test material was impregnated into a 1" x 1" square piece of surgical gauze and moistened with 0.2 ml distilled water just prior to application to the skin of 54 human volunteers.

In order to evaluate the skin irritation and sensitization potential of this product, a series of 12 applications was conducted with each panelist during the primary/induction phase. On four consecutive days of weeks 1, 2 and 3, the patch containing the test material was applied to its designated site. The patches were removed and the contact sites were examined 24 hours after each application. Following a one week rest period (week 4) a challenge phase was conducted on week 5 with 4 applications of the test material on a virgin site of each volunteer.

The test material produced no visible effects in 41 subjects out of 54 during the primary irritation/activation period. Faint or moderate reddening of the skin occurred on one occasion in 10 subjects, 2 times on one subject and 4 times on another subject. These effects would put the test material in the category of a weak skin irritant. Two subjects out of 53 displayed solitary episodes of faint or moderate reddening in the challenge phase; however, the investigators concluded they did not display a sensitizing reaction.

It was concluded that the results furnish no basis for contraindicating skin contact with the test material under similar or less stringent conditions than the testing conditions used.

### Skin Irritation

The skin irritation potential of the test material was evaluated in rabbits in accordance with FHSR regulations. Each of six rabbits received a 0.5g

dose of the test article as a dermal application to both an intact and abraded test site. The dose was held in contact with the skin under a semi-occlusive binder for an exposure period of 24 hours. Following the exposure period, the binder was removed, and the remaining test article was wiped from the skin using gauze and distilled water. The test sites were subsequently examined and scored for dermal irritation for up to three days following patch removal.

Although slight well-defined erythema (redness of the skin) was noted at 25 hours, all responses had subsided by the 72-hour observation. No edema (swelling) was noted at any test site.

Under the test conditions, the test material is considered a slight irritant to rabbit skin. The calculated Primary Irritation Index for the test material is 0.58.

### Eye Irritation

The eye irritation potential of the test material was evaluated. A standard amount, 0.1 g (or 0.1 ml of the dilute solution) of the test material was administered to groups of six albino rabbits. The respective test material was instilled into the conjunctival sac of one eye of the test animals while the other eye served as a control. The eyes were not washed after instillation. A similar procedure was followed on an additional three animals, with the exception that a saline rinse was used.

In the no-rinse group, the test material produced minimal conjunctivitis in 6 of 6 test animals at 24 hours. Redness and swelling persisted to the study termination (7 days) in 4 of 6 rabbits. Similar responses were seen in the rinse group.

It was concluded that the test material was not considered to be an eye irritant (rabbit) based on the no-rinse group according to FHSR evaluation criteria.

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is being furnished for informational purposes only, upon the express condition that the User makes its own assessment of the appropriate use of such information. While the information contained herein is believed to be reliable, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for a particular application or the results to be obtained herefrom. Lubrizol Advanced Materials, Inc. ("Lubrizol") cannot guarantee how any products associated with this information will perform in

combination with other substances or in the User's process. Due to variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the information or products for the applications disclosed. Lubrizol shall not be liable and the User assumes all risk and responsibility for any use or handling of any material beyond Lubrizol's direct control. LUBRIZOL MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the User's sole responsibility to determine if there are any issues relating to patent infringement of any component or combination of components relating to the supplied information. **Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.**

For further information, please visit: [www.lubrizol.com/personalcare](http://www.lubrizol.com/personalcare)