

# Carbopol<sup>®</sup> Aqua SF-2 Polymer Toxicology Studies

*Toxicity studies were conducted on a Lubrizon Advanced Materials, Inc. experimental polymer that is chemically and structurally similar to Carbopol<sup>®</sup> Aqua SF-2 polymer. It is believed that the following results for the test material represent the toxicity potential for Carbopol Aqua SF-2 polymer.*

## Acute Oral Toxicity

The acute oral toxicity of the test material was evaluated according to OECD Guidelines for Testing of Chemicals No. 401 (adopted 24 February 1987) and Method B1 of Commission Directive 92/69/EEC (Annex V of Council Directive 67/548/EEC). A group of ten rats (five males and five females) was given a single oral dose of undiluted test material at a dose level of 2000 mg/kg bodyweight. The animals were observed for fourteen days. There were no deaths. No signs of systemic toxicity were noted during the study. No abnormalities were noted at necropsy.

The acute oral median lethal dose (LD<sub>50</sub>) the test material was found to be greater than 2000 mg/kg bodyweight.

## Eye Irritation

The irritation potential of the test material was evaluated in rabbits according to OECD Guidelines for Testing of Chemicals No. 405 (adopted 24 February 1987) and Method B5 of Commission Directive 92/69/EEC (Annex V of Council Directive 67/548/EEC). A standard amount, 0.1 ml, of the test material was administered to the eye of three albino rabbits. The other eye of the test animals served as a control. The eyes were not washed after instillation.

The test material produced moderate conjunctival irritation in all treated eyes one hour after treatment. Moderate conjunctival irritation was noted in one treated eye with minimal conjunctival redness in one other treated eye at 24 hours. Treated eyes appeared normal at the 24 or 48-hour observations.

The test material produced a maximum group mean score of 8.0 according to a modified Kay and Calandra classification system. It was classified as a minimal irritant to the rabbit eye (class 3 on a 1 to 8 scale).

## Skin Irritation

The skin irritation potential of the test material polymer was evaluated in rabbits in accordance with OECD Guidelines for Testing of Chemicals No. 404 (adopted 17 July 1992) and Method B4 of Commission Directive 92/69/EEC (Annex V of Council Directive 67/548/EEC). Each of three rabbits received a 0.5 ml dose of the test material as a dermal application to the intact skin. The dose was held in contact with the skin under a semi-occlusive binder for an exposure period of 4 hours. Following the exposure period, the binder was removed, and the remaining test article was wiped from the skin using cotton wool soaked in 74% Industrial Methylated Spirits. The test sites were subsequently examined and scored for dermal irritation for up to three days following patch removal.

The test material produced a primary irritation index of 0.0 and was classified as non-irritant to rabbit skin. No corrosive effects were noted.

Lubrizon Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is being furnished for informational purposes only, upon the express condition that the User makes its own assessment of the appropriate use of such information. While the information contained herein is believed to be reliable, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for a particular application or the results to be obtained herefrom. Lubrizon Advanced Materials, Inc. ("Lubrizon") cannot guarantee how any products associated with this information will perform in

combination with other substances or in the User's process. Due to variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the information or products for the applications disclosed. Lubrizon shall not be liable and the User assumes all risk and responsibility for any use or handling of any material beyond Lubrizon's direct control. LUBRIZOL MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the User's sole responsibility to determine if there are any issues relating to patent infringement of any component or combination of components relating to the supplied information. **Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.**

For further information, please visit: [www.lubrizon.com/personalcare](http://www.lubrizon.com/personalcare)

## Skin Sensitization

The skin sensitization potential of the test material was evaluated in the guinea pig using Magnusson & Kligman Maximization Test in accordance with OECD Guidelines for Testing of Chemicals No. 406 (adopted 17 July 1992) and Method B6 of Commission Directive 92/69/EEC (Annex V of Council Directive 67/548/EEC). In the induction phase the test material was administered via intradermal injection (0.1%) and topical application (undiluted). In the subsequent challenge phase, the test material was applied topically (undiluted and 75%). No sensitization was observed with the test material, which was classified as a non-sensitizer to guinea pig skin.

## Mutagenicity

The Reverse Mutation Assay "Ames Test" using *Salmonella typhimurium* strains TA1535, TA1537, TA98, and TA100 and *E. Coli* strain WP2uvrA<sup>-</sup> was conducted on the test material. A preliminary test was carried out to select appropriate dose levels for use in the main study. The test material was non-toxic to the strains of bacteria used up to the maximum dosage of 5000 µg/plate and therefore was tested up to this maximum dose.

No significant increases in the frequency of revertant colonies were recorded for any of the strains of bacteria, at any dose level either with or without metabolic activation.

The test material was considered to be non-mutagenic under the conditions of this test.

## Acute Aquatic Toxicity

The acute aquatic Toxicity of the test material was evaluated using *Daphnia Magna* in accordance with OECD Guidelines for Testing of Chemicals No. 202 (1984) and Method C.2 of Commission Directive 92/69/EEC (Annex V of Council Directive 67/548/EEC).

The 48-hour EC<sub>50</sub> of the test material in the freshwater invertebrate *Daphnia Magna* based on nominal concentrations was determined to be greater than 100 mg/l. The no observed effect concentration was greater than or equal to 100 mg/l.