

Carboset® CA1009

Acrylic-Polyurethane Emulsion

Carboset® CA 1009 is an APEO, formaldehyde, and NMP-free water- based acrylic / polyurethane hybrid polymer designed for formulating roof topcoats and primers. It can be formulated into coatings under 50 g/L VOC (USA). Carboset CA 1009 demonstrates excellent bitumen bleed-through resistance, making it ideal for use on new or weathered bitumen substrates. Carboset CA 1009 can be applied over a variety of roof and facade construction materials, including asphaltic roofing plies, concrete block, brick, stucco, EIFS and fiber-cement. It can be used as a topcoat or self-priming system, allowing customers to leverage a single polymer for multiple construction applications. Carboset CA 1009 has excellent alkali resistance, making it suitable for use over fresh (high pH) masonry surfaces.

FEATURES AND BENEFITS

- Adhesion
- Alkali Resistance
- Dirt Pick-Up Resistance
- Durable
- Elastomeric
- High Solids
- Tear Resistance
- Toughness
- UV Resistance
- Weatherability

CHARACTERISTICS

Characteristic Name	Value
% Weight Solids	54.0-56.0
Appearance	White Liquid
Brookfield Viscosity (cps)	150-800
Density (g/cc @ 25 °C)	1.1
Density (lb/gal @ 25 °C)	9.16
pH Value	7.5 - 9.0
Tg (°C)	7

REGULATORY

- APEO-Free¹
- Formaldehyde-Free¹
- Low VOC⁴
- NMP-Free¹

¹Not intentionally added to the composition of this product

⁴Suitable for coating formulations where less than 140 g/l VOC (US EPA Method 24) or 75 g/l VOC (ISO 11890-1, Method 2) is desired based on calculations.

APPLICATIONS

- Building & Construction Coatings

AVAILABLE REGIONS

- Asia Pacific
- EMEA

RECOMMENDED STORAGE AND RE-TEST DATE

Lubrizol recommends retesting quality after 365 days. See SDS for storage conditions and handling instructions.

REGULATORY STATUS

Please see the product's current material safety data sheet, SDS, for regulatory information. You can request an SDS at www.lubrizol.com/coatings.

Should you have questions on additional topics, please feel free to contact your Lubrizol representative or one of our regional Customer Assistance groups listed here:

America: AmerLZAMCustomerAssistance@Lubrizol.com | Europe: EMEAICustomerAssistance@Lubrizol.com |

Asia: APCustomerAssistance@Lubrizol.com | Brazil: BrazilQualityLZAM@Lubrizol.com

DISCLAIMER

Lubrizol Advanced Materials, Inc. ("Lubrizol") hopes that you have found the information provided helpful, but you are cautioned that this material, including any prototype formulas, is for informational purposes only and you are solely responsible for making your own assessment of appropriate use of the information. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAWS, LUBRIZOL MAKES NO REPRESENTATIONS, GUARANTEES, OR WARRANTIES (WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE), INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR REGARDING THE COMPLETENESS, ACCURACY, OR TIMELINESS OF ANY INFORMATION. Lubrizol does not guarantee how the materials referenced herein will perform in combination with other substances, in any methods, conditions, or processes, with any equipment, or in non-laboratory

environments. BEFORE COMMERCIALIZATION OF ANY PRODUCT CONTAINING THESE MATERIALS, YOU SHOULD THOROUGHLY TEST SUCH PRODUCT, INCLUDING HOW THE PRODUCT IS PACKAGED, TO DETERMINE ITS PERFORMANCE, EFFICACY, AND SAFETY. You are solely responsible for the performance, efficacy, and safety of any products you manufacture. Lubrizol shall not be liable, and you shall assume all risk and responsibility for, any use or handling of any material. Any claims may not be approved in all jurisdictions. Any entity making claims related to these products is responsible for complying with local laws and regulations. Nothing contained herein is to be considered as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner, and it is your sole responsibility to determine if any issues related to patent infringement of any component or combination of components relating to the information provided exists. You acknowledge and agree that you are using the information provided herein at your own risk. If you are dissatisfied with the information provided by Lubrizol, your exclusive remedy shall be to not use the information.

COPYRIGHTS

Trademarks owned by The Lubrizol Corporation or its affiliates. © The Lubrizol Corporation 2022, All Rights Reserved.