

Diamond Dispersions™ DSB Color Dispersion

Navy Blue Disperse Dye Aqueous Dispersion


Based on the high quality inkjet grade dye DISPERSE BLUE 360, DSB provides the basis for a world class intense black when blended with other products from the Diamond range. Having been stabilised utilising Diamond’s dispersing technology, this tried and tested dispersion is also extremely stable and easy to formulate. Typical applications include; sublimation inks for polyester, direct to fabric inks for polyester and poly/cotton blends

FEATURES AND BENEFITS

- Colloidal Stability
- Crock Resistance
- Easy to formulate
- Elastic
- Flexible
- Heat Stability
- High Optical Density
- High Print Quality
- Ideal for fabric applications including synthetics
- Ideal for inkjet print applications
- Ideal for Water Based Dye
- Light Fastness
- Light Stability
- Long-lasting colors
- Non-Bleed
- Oekotex Tested
- Oil Resistance
- Permeable
- Printability
- Ready to Use
- Rub Resistance
- Stable Dispersion
- Thermal Stability
- UV Resistance
- Vibrant colors

CHARACTERISTICS

Characteristic Name	Value
100% Particles less than (nm)	<500
Appearance	Blue liquid
Average mean particle size (nm)	<150
CI Reference	Disperse Blue 360
Conductivity at 25°C (µS)	<1500
Lightfastness (blue wool scale)	5-6
Solids (wt %)	16 ±0.5
Surface Tension at 25°C (mN/m)	34 - 44



Characteristic Name	Value
Viscosity (mPas) at 25°C & 60 rpm	<10
pH	6.0 - 8.0

REGULATORY

- ADH-Free¹
- APEO-Free¹
- Ammonia-Free¹
- DecaBDE Free¹
- Formaldehyde-Free¹
- Halogen-Free¹
- Low PFOA²
- Low VOC⁴
- NEP-Free
- NMP-Free¹
- PTFE-Free¹
- TEA-Free¹

¹Not intentionally added to the composition of this product

²Not intentionally added nor expected to be present above limit values specified in Annex I of Regulation (EU) 2019/1021 adding PFOA, its salts and related substances under the Stockholm Convention on POPs effective July 4th 2020.

⁴Suitable for coating formulations where less than 140 g/l VOC (US EPA Method 24) or 75 g/l VOC (ISO 11890-1, Method 2) is desired based on calculations.

APPLICATIONS

- Apparel Coatings
- Custom Textile Formulations
- Digital Printing Inks
- Particle Dispersions
- Technical Textile Coatings

AVAILABLE REGIONS

- Asia Pacific
- EMEA
- Latin America
- North America

REGULATORY STATUS

Please see the product's current material safety data sheet, SDS, for regulatory information. You can request an SDS at www.lubrizol.com/coatings.

Should you have questions on additional topics, please feel free to contact your Lubrizol representative or one of our regional Customer Assistance groups listed here:

America: AmerLZAMCustomerAssistance@Lubrizol.com | Europe: EMEAICustomerAssistance@Lubrizol.com |

Asia: APCustomerAssistance@Lubrizol.com | Brazil: BrazilQualityLZAM@Lubrizol.com

DISCLOSURE

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the applications disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use or handling of any material beyond Lubrizol Advanced Materials, Inc.'s direct control. The SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner. Product safety information required for safe use is not included. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE FROM YOUR LUBRIZOL REPRESENTATIVE, OR DISTRIBUTOR.

Trademarks owned by The Lubrizol Corporation or its affiliates. © The Lubrizol Corporation 2020, All Rights Reserved.